




MİMARİ KATALOG ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems



E50



TEKNİK ÖZELLİKLERİ / TECHNICAL PROPERTIES

PROFİL GENİŞLİĞİ / PROFILE WIDTH	50 mm
DİKME DERİNLİKLERİ / MULLION DEPTHS	min. 44mm - max. 209,7mm
KAYIT DERİNLİKLERİ / TRANSOM DEPTHS	min. 60mm - max. 216,3mm
PROFİL ET KALINLIĞI / PROFILE WALL THICKNESS	1,8 / 2,4 / 2,5 / 2,7 / 3 mm
MAX. CAM KALINLIĞI / MAX. GLASS THICKNESS	36mm
ISI BARIYERLERİ / THERMAL INSULATION BAR	14,8mm

KULLANIM SEÇENEKLERİ / APPLICATION ALTERNATIVES

KAPAKLI CEPHE / FACADE WITH CAP	•
SİLİKON CEPHE / STRUCTURAL GLAZING	•
YARI KAPAKLI CEPHE / TWO SIDE	•
DIŞA AÇILIM GİZLİ KANAT / OUTWARD OPENING HIDDEN VENT	•

PERFORMANS DEĞERLERİ / PERFORMANCE VALUES

KAPAKLI CEPHE / FACADE WITH CAP

HAVA GEÇİRGENLİĞİ - EN 12152 (AIR PERMEABILITY)	1 (150 Pa)	2 (300 Pa)	3 (450 Pa)	4 (600 Pa)		
SU SIZDIRMAZLIĞI - EN 12154 (WATERTIGHTNESS)	R4 (150 Pa)	R5 (300 Pa)	R6 (450 Pa)	R7 (600 Pa)	RE... (600+ Pa)	RE900 (900 Pa)
RÜZGAR YÜKÜNE DAYANIM - EN 13830 (RESISTANCE TO WIND LOAD)	± 1320 Pa					
KAPAKLI SİSTEM UF DEĞERİ - EN 10077-2 (THERMAL INSULATION VALUE)						1,75 ~2,15 W/M²K
SİSTEM SES YALITIMI - TS EN ISO 717 - 1 (ACOUSTIC PERFORMANCE VALUE)						32,7 (-1,5: -3,7) Db

PERFORMANS DEĞERLERİ / PERFORMANCE VALUES

SİLİKON CEPHE / STRUCTURAL GLAZING

HAVA GEÇİRGENLİĞİ - EN 12152 (AIR PERMEABILITY)	1 (150 Pa)	2 (300 Pa)	3 (450 Pa)	4 (600 Pa)		
SU SIZDIRMAZLIĞI - EN 12154 (WATERTIGHTNESS)	R4 (150 Pa)	R5 (300 Pa)	R6 (450 Pa)	R7 (600 Pa)	RE... (600+ Pa)	RE900 (900 Pa)
RÜZGAR YÜKÜNE DAYANIM - EN 13830 (RESISTANCE TO WIND LOAD)	± 1320 Pa					
SİLİKONLU SİSTEM UF DEĞERİ- EN 10077-2 (THERMAL INSULATION VALUE)	2,70 ~5,42 W/M²K					
SİSTEM SES YALITIMI - TS EN ISO 717 - 1 (ACOUSTIC PERFORMANCE VALUE)	33,5 (-1,6: -4,1) Db					






PERFORMANS DEĞERLERİ / PERFORMANCE VALUES

YARI KAPAKLI CEPHE / TWO SIDE SYSTEM






HAVA GEÇİRGENLİĞİ - EN 12152 (AIR PERMEABILITY)	1 (150 Pa)	2 (300 Pa)	3 (450 Pa)	4 (600 Pa)		
SU SIZDIRMAZLIĞI - EN 12154 (WATERTIGHTNESS)	R4 (150 Pa)	R5 (300 Pa)	R6 (450 Pa)	R7 (600 Pa)	RE... (600+ Pa)	RE900 (900 Pa)
RÜZGAR YÜKÜNE DAYANIM - EN 13830 (RESISTANCE TO WIND LOAD)	± 1320 Pa					
YARI KAPAKLI SİSTEM UF DEĞERİ- EN 10077-2 (THERMAL INSULATION VALUE)	1,75 ~5,42 W/M²K					
SİSTEM SES YALITIMI - TS EN ISO 717 - 1 (ACOUSTIC PERFORMANCE VALUE)	33,8 (-1,9: -3,3) Db					

ISI YALITIM DEĞERLERİ (UF) / THERMAL INSULATION VALUE (UF):

SİLİKON CEPHE (STRUCTURAL GLAZING SYSTEM)








SİLİKON CEPHE (STRUCTURAL GLAZING SYSTEM)



ISI YALITIM DEĞERLERİ (UF) / THERMAL INSULATION VALUE (UF):

KAPAKLI CEPHE (COVER CAP SYSTEM)



MİMARİ KATALOG

ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems


E50

PROFİLLER


PROFILES

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 12	1,798	61,851	22,873	13,806	9,149	6	
E50 M 13	1,448	15,914	15,375	4,764	6,150	6	


E50 M 13



E50 M 12




Nr	DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE				KESİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
	PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE				
E50 M 13	A011768	R50 C 22	06.02.28		21,8 mm	04.10.38
E50 M 12	A011775	R50 C 22	06.02.27		57,8 mm	04.10.38





KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 02	1,992	97,340	26,972	16,881	10,789	6	
E50 M 03	2,445	189,231	32,840	26,611	13,128	6	

E50 M 02



E50 M 03




Nr		DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP	
		PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE			
E50 M 02	A011025	R50 C 22	06.02.02	74,5 mm	04.10.38	
E50 M 03	A011031	R50 C 22	06.02.03	92,5 mm	04.10.38	


KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 09	2,033	106,174	27,682	18,559	11,072	6	
E50 M 18	2,276	151,654	32,743	---	---	6	




E50 M 09





E50 M 18



Nr		DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE			KEŞİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP	
		PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE				
E50 M 09	A011579	R50 C 22	06.02.24		77,8 mm	04.10.38	
E50 M 18	A019859	R50 C 22	06.02.03		92,5 mm	04.10.38	




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 10	2,228	163,146	31,864	24,933	12,737	6	
E50 M 04	3,139	306,014	45,218	36,561	18,087	6	



Nr		DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE			KEŞİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
		PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE			
E50 M 10	A011580	R50 C 22	06.02.25		97,8 mm	04.10.38
E50 M 04	A011123	R50 C 22	06.02.04		111,5 mm	04.10.38





KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 05	2,388	268,608	36,450	34,130	14,580	6	
E50 M 15	2,414	228,538	35,803	30,897	14,325	6	





Nr	DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE			KESİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
	PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE			
E50 M 15	A016206	R50 C 22	06.02.30	114,3 mm	04.10.38
E50 M 05	A011402	R50 C 22	06.02.22	130,0 mm	04.10.38

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 07	3,297	396,871	47,977	43,853	19,190	6	
E50 M 16	3,672	490,552	53,135	50,862	21,25	6	



Nr	DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE			KESİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
	PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE			
E50 M 07	A011422	R50 C 22	06.02.23	126,2 mm	04.10.38
E50 M 16	A018287	R50 C 22	06.02.33	133,0 mm	04.10.38

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 17	3,808	567,767	55,958	55,970	22,38	6	
E50 M 06	4,361	665,914	64,750	60,781	25,900	6	





Nr		DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
		PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE		
E50 M 17	A018288	R50 C 22	06.02.34	143,0 mm	04.10.38
E50 M 06	A011148	R50 C 22	06.02.12	148,3 mm	04.10.38

DÜŞEY PROFİLLER
MULLION PROFILES




E50

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 M 14	4,279	868,971	69,075	74,833	27,630	6	



Nr		DÜŞEY BAĞLANTI PROFİLİ / MULLION CONNECTION PROFILE		KEŞİM ÖLÇÜSÜ CUTTING SIZE	DÜŞEY BAĞLANTI KAPAĞI MULLION CONNECTION CAP
		PROFİL KODU / PROFILE CODE	AKSESUAR KODU / ACCESSORY CODE		
E50 M 14	A015174	R50 C 22	06.02.29	 184,8 mm	04.10.38 



KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 13	0,909	3,410	8,791	1,174	3,516	6	
E50 T 03	1,252	25,387	16,117	7,327	6,447	6	
E50 T 04	1,505	59,374	21,556	12,224	8,622	6	



Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 13	A011892	R50 C 06 TPV	05.02.18 04.22.12		16,7 mm 19,0 mm
E50 T 03	A011026	R50 C 06 TPV	05.02.03 04.22.03		51,9 mm 54,0 mm
E50 T 04	A011145	R50 C 06 TPV	05.02.04 04.22.04		77,8 mm 80,0 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 03	A011026	R50 C 12 R50 C 11 TPV	05.03.03 05.03.13 04.23.T03		50,9 mm 51,9 mm 55,0 mm
E50 T 04	A011145	R50 C 12 R50 C 11 TPV	05.03.04 05.03.14 04.23.T04		76,9 mm 77,8 mm 81,0 mm



KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 05	1,700	98,056	25,740	16,567	10,296	6	
E50 T 18	2,030	149,277	31,863	--	--	6	



Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 05	A011146	R50 C 06 TPV	05.02.05 04.22.05		97,8 mm 100,0 mm
E50 T 18	A019860	R50 C 23 TPV	05.02.21 04.22.18		113,4 mm 115,8 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 05	A011146	R50 C 12 R50 C 11 TPV	05.03.05 05.03.15 04.23.T05		96,9 mm 97,8 mm 101,0 mm

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 06	2,131	183,984	31,319	25,252	12,528	6	
E50 T 15	1,894	149,170	29,919	22,781	11,967	6	




Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 06	A011149	R50 C 06 TPV	05.02.06 04.22.13		115,8 mm 120,0 mm
E50 T 15	A011891	R50 C 06 TPV	05.02.10 04.22.06		117,7 mm 120,0 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 06	A011149	R50 C 12 R50 C 11 TPV	05.03.06 05.03.16 04.23.T06		116,9 mm 115,8 mm 120,0 mm
E50 T 15	A011891	R50 C 12 R50 C 11 TPV	05.03.06 05.03.19 04.23.T06		116,9 mm 117,7 mm 120,0 mm


KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 09	2,076	206,142	33,626	27,894	13,450	6	
E50 T 10	2,226	266,650	36,828	32,585	14,730	6	



E50 T 09



E50 T 10



Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 09	A011589	R50 C 06 TPV	05.02.11 04.22.08		135,5 mm 137,5 mm
E50 T 10	A011714	R50 C 06 TPV	05.02.14 04.22.07		150,8 mm 153,0 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 09	A011589	R50 C 12 R50 C 11 TPV	05.03.09 05.03.18 04.23.T09		134,6 mm 135,5 mm 137,7 mm


YATAY PROFİLLER
TRANSOM PROFILES

E50


KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 16	2,988	371,426	50,586	41,456	20,10	6	
E50 T 17	3,124	430,837	53,409	45,670	21,36	6	



E50 T 16



E50 T 17



Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 16	A018289	R50 C 23 TPV	05.02.19 04.22.16		157,8 mm 160,7 mm
E50 T 17	A018290	R50 C 23 TPV	05.02.20 04.22.17		167,8 mm 170,7 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 16	A018289	R50 C 12 R50 C 21 TPV	05.03.30 05.09.03 04.23.T16		157,8 mm 157,8 mm 160,7 mm
E50 T 17	A018290	R50 C 12 R50 C 21 TPV	05.03.31 05.09.04 04.23.T17		167,8 mm 167,8 mm 170,7 mm


YATAY PROFİLLER

TRANSOM PROFILES


E50

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 T 11	3,652	721,537	64,581	63,180	25,830	6	
E50 T 12	3,213	473,017	55,269	48,113	22,108	6	

E50 T 11




E50 T 12





Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 11	A015173	R50 C 23 TPV	05.02.16 04.22.11		207,4 mm 210,3 mm
E50 T 12	A011870	R50 C 23 TPV	05.02.17 04.22.10		174,4 mm 177,3 mm

Nr	DÜŞEY BAĞLANTI PROFİLİ		MULLION CONNECTION PROFILE		KESİM ÖLÇÜSÜ CUTTING SIZE
	PROFİL KODU / PROFILE CODE		AKSESUAR KODU / ACCESSORY CODE		
E50 T 11	A015173	R50 C 12 R50 C 21 TPV	05.03.07 05.09.01 04.23.T11		207,2 mm 207,4 mm 210,3 mm
E50 T 12	A011870	R50 C 12 R50 C 21 TPV	05.03.08 05.09.02 04.23.T12		174,2 mm 174,4 mm 177,3 mm

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
AT64F13	1,921	23,545	24,086	---	---	6	



AT64F13






Ölçek/Scale: 1/2

Nr			KESİM ÖLÇÜSÜ CUTTING SIZE	 AKS. KODU ACS. CODE
AT64F13	A015922	25 L 16 (A002061)	17,7 mm	120 L 16
	A015921	25 L 16 (A002061)	13,9 mm	119 L 16












KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 A 01	1,430	12,989	15,454	----	---	6	

E50 A 01




Ölçek/Scale: 1/2

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 P 01	0,428	6	R50 P 20	0,248	6	
R50 P 02	0,335	6	R50 P 27	0,707	6	
R50 P 03	0,360	6	R50 P 29	0,424	6	
R50 P 15	0,305	6	R50 P 19	0,419	6	
R50 P 16	0,268	6	R50 C 08	0,187	6	




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 P 06	1,179	6		6		
R50 P 32	0,850	6		6		
R50 P 38	1,365	6		6		


R50 P 06




R50 P 32



R50 P 38




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 P 34	0,686	6				
R50 P 25	3,125	6				
R50 P 49	2,392	6				




KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 P 31	1,212	6				
R50 P 17	0,286	6				
R50 P 18	0,428	6				
R50 P 52	1,903	6				


R50 P 17




R50 P 18



R50 P 31



R50 P 52



E50

The image displays technical drawings of several aluminum profiles, each with its dimensions and a part number in a box.

- E50 V 03**: Dimensions: 19,8 (width), 27,3 (height), 15,4 (bottom width), 7,8 (bottom offset). Part number: A011460. Internal features: 174 L 38, 254 L 61.
- E50 V 02**: Dimensions: 19,8 (width), 10 (flange width), 16,6 (height), 19,4 (total height). Part number: A011054. Internal feature: 174 L 38.
- E50 H 10**: Dimensions: 84,1 (total width), 38,2 (top height), 16,2 (bottom height), 55,3 (main body width), 28,8 (flange width), 26,2 (flange height), 7,2 (flange offset). Part number: A011027. Internal features: 223 L 50, 222 L 62.
- AR50V16***: Dimensions: 41,8 (height), 26,1 (width), 1,5 (flange offset), 22,3 (flange height), 30,5 (main body width), 36 (flange width), 66,5 (total width). Part number: A010776. Internal features: 192 L 38, 25 I 04, 140 L 35, A010032.
- 25 I 04**: Dimensions: 4,3 (height), 17,6 (width). Part number: A002143.
- 25 I 07*****: Dimensions: 4,5 (height), 19 (width). Part number: A011800.
- R50 A 10****: Dimensions: 4,9 (height), 18,6 (width). Part number: A011807.

***GİESSE KOL VE KİLİTLEME AKSESUARLARI SADECE 25 İ 07 TİJ PROFİLİ İLE KULLANILMALIDIR.
GIESSE HANDLE AND LOCKING ACCESSORIES SHOULD BE USED WITH ONLY 25 İ 07 ROD PROFILE.




Nr			KESİM ÖLÇÜSÜ CUTTING SIZE	 AKS. KODU ACS. CODE
AR50V16	A010776	25 L 38 (A002074)	29,9 mm	192 L 38
	A010032	25 L 35 (A010076)	7,8 mm	140 L 35
E50 V 02	A011054	25 L 38 (A002074)	10,3 mm	174 L 38
E50 V 03	A011460	25 L 38 (A002074)	10,3 mm	174 L 38
		25 L 61 (A001034)	6,3 mm	254 L 61
E50 V 04	A011864	25 L 18 (A002164)	60,9 mm	337 L 18

KASA, KANAT VE TİJ PROFİLLERİ

FRAME, VENT AND SLIDING ROD PROFILES


E50

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
E50 H 11	1,022	21,534	8,942	---	---	6	
E50 V 04	1,343	31,429	8,276	---	---	6	




Ölçek/Scale: 1/2

*E50V04 KANAT PROFİLİ, DERİNLİĞİ MİN. 86 MM YATAY PROFİL İLE BİRLİKTE KULLANILMALIDIR.
E50V04 VENT PROFILE, SHOULD BE USED WITH THE TRANSOM PROFILE WHICH FRAME DEPTH IS MİN. 86 MM DIMENSION.


Nr			KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
E50 H 10	A011027	25 L 50 (A010838)	61,0 mm	223 L 50
		25 L 62 (A002442)	9,7 mm	222 L 62
E50 H 11	A011863	25 L 64 (A010028)	54,7 mm	336 L 64

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
AE50V05	1,423	23,105	6,612	----	----	6	
E50 H 12	1,275	39,431	9,206	----	----	6	
E50 S 07	0,274	----	----	----	----	6	



AE50V05



E50 S 07







E50 H 12



Ölçek/Scale: 1/2

Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
AE50V05	A016453	25 L 38 (A002074)	48,0 mm	352 L 38
	A016454	25 L 61 (A001034)	7,7 mm	264 L 61
E50 H 12	A016455	25 L 50 (A010838)	63,4 mm	362 L 50
		25 L 19 (A002165)	8,6 mm	138 L 19

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
AE50V06	1,815	42,766	12,982	---	---	6	
AE50H13	1,896	84,533	19,556	---	---	6	
E50 A 02	0,869	---	---	---	---	6	
E50 A 03	0,190	---	---	---	---	6	





Nr		L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
AE50V06	A016561	25 L 18 (A002164)	60,9 mm	337 L 18
AE50H13	A016559	25 L 64 (A010028)	65,1 mm	363 L 64


ÇITA , ADAPTÖR VE CAM DESTEK PROFİLLERİ
GLAZING BEAD , ADAPTER AND GLASS SUPPORT PROFILES

E50

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m
R50 G 01	0,219	6	E50 R 12	0,265	6
R50 G 02	0,249	6	E50 R 14	0,373	6
R50 G 03	0,280	6	E50 R 02	0,485	6
R50 G 04	0,310	6	E50 R 03	0,448	6
R50 G 05	0,340	6	E50 R 05	0,538	6
R50 G 06	0,136	6			
E50 R 01	0,116	6			
E50 R 04	0,133	6			



*E50 R 12 & E50 R 14 KODLU PROFİLLER BONDING İŞLEMİNE UYGUN ÖZEL ELOKSALLI SİPARİŞ EDİLMELİDİR.
THE PROFILES E50 R 12 & E50 R 14 MUST BE ORDERED WITH SPECIAL ANODIZED SUITABLE FOR BONDING PROCESS.




CAM DESTEK PROFİLLERİ


GLASS SUPPORT PROFILES

E50


KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m
E50 S 10	0,405	6	E50 S 05	0,568	6
E50 S 11	0,333	6	E50 S 06	0,525	6
R50 S 05	0,252	6	E50 S 08	0,594	6




E50 S 10



E50 S 11



R50 S 05




CAM ÜNİTESİ TOPLAM KALINLIK TOTAL GLASS THICKNESS	CAM TAKOZU GLASS SUPPORT	MAKS. CAM AĞIRLIĞI MAX. GLASS WEIGHT
22-26 mm	R50 S 05	225 kg
28-32 mm	E50 S 11	210 kg
34-38 mm	E50 S 10	195 kg

CAM ÜNİTESİ TOPLAM KALINLIK TOTAL GLASS THICKNESS	CAM TAKOZU + ADAPTOR PROFİL GLASS SUPPORT + ADAPTER PROFILE	MAKS. CAM AĞIRLIĞI MAX. GLASS WEIGHT
22-26 mm	R50 S 05 + E50 R 01	350 kg
28-32 mm	E50 S 11 + E50 R 01	335 kg
34-38 mm	E50 S 10 + E50 R 01	320 kg


*FARKLI CAM AĞIRLIKLARI İÇİN LÜTFEN TEKNİK OFİS İLE İLETİŞİME GEÇİNİZ.

*PLEASE CONTACT THE TECHNICAL OFFICE FOR DIFFERENT GLASS WEIGHTS.


E50 S 06



E50 S 05



E50 S 08




DÜŞEY BAĞLANTI PROFİLLERİ




MULLION CONNECTION PROFILES

E50

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 C 22	5,550	6				



*R50 C 22




*04.10.38 VE 03.01.05 KODLU AKSESUARLAR İLE BİRLİKTE KULLANILACAKTIR.
IT WILL BE USED WITH 04.10.38 & 03.01.05 ACCESSORIES.


KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 C 23	2,003	6	R50 C 06	2,033	6	
R50 C 10	1,715	6	---	---	6	
R50 C 24	1,363	6	---	---	6	

U BAĞLANTILAR / U CONNECTIONS


R50 C 06




R50 C 24



R50 C 23*




R50 C 10




*E50 T 11 VE E50 T 12 NOLU KAYIT PROFİLLERİ İLE BİRLİKTE KULLANILACAKTIR.
IT WILL BE USED WITH E50 T 11 & E50 T 12 TRANSOM PROFILES.

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	L m	
R50 C 21	1,769	6				
R50 C 11	1,813	6				
R50 C 12	0,548	6				




KIRLANGIÇ (T) BAĞLANTILAR / T CONNECTIONS


R50 C 11



R50 C 12



R50 C 21*



*E50 T 11 VE E50 T 12 NOLU KAYIT PROFİLLERİ İLE BİRLİKTE KULLANILACAKTIR.
IT WILL BE USED WITH E50 T 11 & E50 T 12 TRANSOM PROFILES.

STOKTA BULUNAN SİSTEM PROFİLLERİNİN LİSTESİ
(LIST OF SYSTEM PROFILES IN STOCK)

Nr			MİN. SİPARİŞ MİKTARI MIN. ORDER QUANTITY
R50 C 22	A011880		75 kg
AR50V16	A010776	75 kg	150 kg
	A010032	75 kg	
E50 M 09	A011579		75 kg
E50 M 10	A011580		75 kg
E50 T 03	A011026		75 kg
E50 T 04	A011145		75 kg
E50 T 05	A011146		75 kg
E50 T 06	A011149		75 kg
E50 V 03	A011460		75 kg
E50 H 10	A011027		75 kg

* STOKTA BULUNMAYAN TÜM PROFİLLER İÇİN MİNİMUM SİPARİŞ MİKTARI 300 KG'DIR.
MINIMUM ORDER QUANTITY FOR ALL THE PROFILES THAT ARE NOT IN STOCK IS 300 KG.

MİMARİ KATALOG
ARCHITECTURAL CATALOGUE



Alüminyum Sürme Sistemleri
Aluminium Sliding Systems

E50

CAM TABLOLARI VE BAĞLANTI DETAYLARI
GLASS TABLES AND CONNECTION DETAILS

CAM TABLOSU / KAPAKLI CEPHE
GLASS TABLE / CURTAIN WALL WITH CAP

A	B	C	D	E	F	G	H	I
CAM GLASS	İÇ CAM FİTİLİ GLASS GASKET	DIŞ CAM FİTİLİ GLASS GASKET	ORTA FİTİL CENTRAL GASKET	PVC PROFİL PVC PROFILE	ADAPTÖR PROFİL ADAPTER PROFILE	İÇ CAM FİTİLİ GLASS GASKET	CAM TAKOZU SUPPORTER	VİDA SCREW
6 mm	01.03.27	01.11.12	01.05.01	02.01.14	R50 G 03	01.02.27	E50 S 11	4.8X45 YSB
8 mm	01.03.27	01.11.12	01.05.04	02.01.05	R50 G 01	01.02.27	R50 S 05	4.8X38 YSB
10 mm	01.03.24	01.11.12	01.05.01	02.01.14	R50 G 01	01.02.24	E50 S 11	4.8X45 YSB
12 mm	01.03.26	01.11.12	01.05.01	02.01.14	R50 G 01	01.02.26	E50 S 11	4.8X45 YSB
14 mm	01.03.26	01.11.12	01.05.03	02.01.14	R50 G 01	01.02.26	E50 S 11	4.8X45 YSB
18 mm	01.03.22	01.11.12	01.05.01	02.01.05	-	01.02.22	R50 S 05	4.8X38 YSB
20 mm	01.03.22	01.11.12	01.05.01	02.01.09	-	01.02.22	R50 S 05	4.8X38 YSB
22 mm	01.03.23	01.11.12	01.05.02	02.01.09	-	01.02.23	R50 S 05	4.8X38 YSB
24 mm	01.03.25	01.11.12	01.05.02	02.01.09	-	01.02.25	R50 S 05	4.8X38 YSB
24 mm (Alternatif)	01.03.24	01.11.12	01.05.05	02.01.05	-	01.02.24	R50 S 05	4.8X38 YSB
26 mm	01.03.27	01.11.12	01.05.02	02.01.09	-	01.02.27	R50 S 05	4.8X38 YSB
26 mm (Alternatif)	01.03.22	01.11.12	01.05.01	02.01.14	-	01.02.22	E50 S 11	4.8X45 YSB
28 mm	01.03.23	01.11.12	01.05.01	02.01.14	-	01.02.23	E50 S 11	4.8X45 YSB
30 mm	01.03.25	01.11.12	01.05.01	02.01.14	-	01.02.25	E50 S 11	4.8X45 YSB
32 mm	01.03.27	01.11.12	01.05.01	02.01.14	-	01.02.27	E50 S 11	4.8X45 YSB
34 mm	01.03.23	01.11.12	01.05.02	02.01.07 02.01.09	-	01.02.23	E50 S 10	4.8X50 YSB
34 mm	01.03.25	01.11.12	01.05.02	02.01.07 02.01.09	-	01.02.25	E50 S 10	4.8X50 YSB
34 mm	01.03.27	01.11.12	01.05.02	02.01.07 02.01.09	-	01.02.27	E50 S 10	4.8X50 YSB



PROFİL KODU (PROFILE CODE)	25 L 18	25 L 35	25 L 38	25 L 50
FABRİKA KODU(FACTORY CODE)	A002164	A010076	A002074	A010838
AĞIRLIK (WEIGHT)	2,323 kg/m	4,192 kg/m	4,854 kg/m	1,748 kg/m
ÇİZİM (DRAWING)				

PROFİL KODU (PROFILE CODE)	25 L 61	25 L 62	25 L 64	
FABRİKA KODU(FACTORY CODE)	A001034	A002442	A010028	
AĞIRLIK (WEIGHT)	3,759 kg/m	4,249 kg/m	5,901 kg/m	
ÇİZİM (DRAWING)				

KÖŞE TAKOZLARI				
Nr		 L m	KEŞİM ÖLÇÜSÜ CUTTING SIZE	 AKS. KODU ACS. CODE
AR50V16	A010776	A002074 (25 L 38)	29,9 mm	192 L 38
	A010032	A010076 (25 L 35)	7,8 mm	140 L 35
E50 H 10	A011027	A010838 (25 L 50)	61,0 mm	223 L 50
		A002442 (25 L 62)	9,7 mm	222 L 62
E50 H 11	A011863	A010028 (25 L 64)	54,7 mm	336 L 64
E50 H 12	A016455	25 L 50 (A010838)	63,4 mm	362 L 50
		25 L 19 (A002165)	8,6 mm	138 L 19
AE50H13	A016559	25 L 64 (A010028)	65,1 mm	363 L 64
E50 V 02	A011054	A002074 (25 L 38)	10,3 mm	174 L 38
E50 V 03	A011460	A002074 (25 L 58)	10,3 mm	174 L 38
		A001034 (25 L 61)	6,3 mm	254 L 61

KÖŞE TAKOZLARI				
Nr		 L m	KEŞİM ÖLÇÜSÜ CUTTING SIZE	 AKS. KODU ACS. CODE
E50 V 04	A011864	A002164 (25 L 18)	60,9 mm	337 L 18
	A016453	25 L 38 (A002074)	48,0 mm	352 L 38
AE50V05	A016454	25 L 61 (A001034)	7,7 mm	264 L 61
	A016561	25 L 18 (A002164)	60,9 mm	337 L 18
AT64F13	A015922	A002061 (25 L 16)	17,7 mm	120 L 16
	A015921	A002061 (25 L 16)	13,9 mm	119 L 16

YATAY BAĞLANTI PROFİLLERİ (TRANSOM CONNECTION PROFİLLERİ)

PROFİL KODU (PROFILE CODE)	R50 C 11 / R50 C 12	R50 C 21	R50 C 23 / R50 C 06	R50 C 24
FABRİKA KODU(FACTORY CODE)	A010757 / A010756	A011861	A016297 / A010026	A011937
AĞIRLIK (WEIGHT)	1,813 kg/m / 0,548 kg/m	1,769 kg/m	2,003 kg/m / 2,033 kg/m	1,363 kg/m
ÇİZİM (DRAWING)				



YATAY VE DÜŞEY BAĞLANTILAR

TRANSOM AND MULLION CONNECTION PIECES

E50

R50 C 06 VE R50 C 23 İÇİN U BAĞLANTI AKSESUARLARI


U CONNECTIONS FOR R50 C 06 & R50 C 23

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE	KESİM ÖLÇÜSÜ CUTTING SIZE
 R50 C 06 A010026	E50 T 03	05.02.03	51,9 mm
		04.22.03	54,0 mm
	E50 T 04	05.02.04	77,8 mm
		04.22.04	80,0 mm
	E50 T 05	05.02.05	97,8 mm
		04.22.05	100,0 mm
	E50 T 06	05.02.06	115,8 mm
		04.22.13	120,0 mm
	E50 T 09	05.02.11	135,5 mm
		04.22.08	137,5 mm
	E50 T 10	05.02.14	150,8 mm
		04.22.07	153,0 mm
 R50 C 23 A016297	E50 T 11	05.02.16	207,4 mm
		04.22.11	210,3 mm
	E50 T 12	05.02.17	174,4 mm
		04.22.10	177,3 mm
	E50 T 16	05.02.19	157,8 mm
		04.22.16	160,7 mm
	E50 T 17	05.02.20	167,8 mm
		04.22.17	170,7 mm
	E50 T 18	05.02.21	113,4 mm
		04.22.18	115,8 mm


R50 C 24 İÇİN U BAĞLANTI AKSESUARLARI


U CONNECTIONS FOR R50 C 24

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE	KESİM ÖLÇÜSÜ CUTTING SIZE
 R50 C 24 A011937	E50 T 03	05.10.03	51,9 mm
		04.22.03	54,0 mm
	E50 T 04	05.10.04	77,8 mm
		04.22.04	80,0 mm
	E50 T 05	05.10.05	97,8 mm
		04.22.05	100,0 mm
	E50 T 06	05.10.06	115,8 mm
		04.22.13	120,0 mm
	E50 T 09	05.10.11	135,5 mm
		04.22.08	137,5 mm
	E50 T 10	05.10.14	150,8 mm
		04.22.07	153,0 mm
	E50 T 13	05.10.18	16,7 mm
		04.22.12	19,0 mm
	E50 T 15	05.10.10	117,7 mm
		04.22.06	120,0 mm




R50 C 11 VE R50 C 21 İÇİN KIRLANGIÇ (T) BAĞLANTI AKSESUARLARI
T CONNECTIONS FOR R50 C 11 & R50 C 21

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE		KESİM ÖLÇÜSÜ CUTTING SIZE
R50 C 11 A010757 45,9 	E50 T 03	05.03.03		50,9 mm
		05.03.13		51,9 mm
		04.23.T03		55,0 mm
	E50 T 04	05.03.04		76,9 mm
		05.03.14		77,8 mm
		04.23.T04		81,0 mm
	E50 T 05	05.03.05		96,9 mm
		05.03.15		97,8 mm
		04.23.T05		101,0 mm
	E50 T 06	05.03.06		116,9 mm
		05.03.16		115,8 mm
		04.23.T06		120,0 mm
	E50 T 09	05.03.09		134,6 mm
		05.03.18		135,5 mm
		04.23.T09		137,7 mm
	E50 T 15	05.03.06		116,9 mm
		05.03.19		117,7 mm
		04.23.T06		120,0 mm
R50 C 21 A011861 44 	E50 T 11	05.03.07		207,2 mm
		05.09.01		207,4 mm
		04.23.T11		210,3 mm
	E50 T 12	05.03.08		174,2 mm
		05.09.02		174,4 mm
		04.23.T12		177,3 mm
	E50 T 16	05.03.30		157,8 mm
		05.09.03		157,8 mm
		04.23.T16		160,7 mm
	E50 T 17	05.03.31		167,8 mm
		05.09.04		167,8 mm
		04.23.T17		170,7 mm




DÜŞEY BAĞLANTI AKSESUARLARI (MULLION CONNECTION PIECES)




AKSESUAR KODU ACCESSORIE CODE	KESİM ÖLÇÜSÜ CUTTING SIZE	KULLANILDIĞI PROFİL USED WITH
06.02.02	74,5 mm	E50 M 02
06.02.03	92,5 mm	E50 M 03 - E50 M 18
06.02.04	111,5 mm	E50 M 04
06.02.22	130,0 mm	E50 M 05
06.02.12	148,3 mm	E50 M 06
06.02.23	126,2 mm	E50 M 07
06.02.24	77,8 mm	E50 M 09
06.02.25	97,8 mm	E50 M 10
06.02.26	30,8 mm	E50 M 11
06.02.27	57,8 mm	E50 M 12
06.02.28	21,8 mm	E50 M 13
06.02.29	184,8 mm	E50 M 14
06.02.30	114,3 mm	E50 M 15
06.02.33	133,0 mm	E50 M 16
06.02.34	143,0 mm	E50 M 17

DİLATASYON PROFİLİ VE KAPAK MONTAJI
DILATATION PROFILE AND COVER ASSEMBLY





DİLATASYON BAĞLANTI DETAYI
DILATATION CONNECTION DETAIL






YATAY KAYIT KESİM ÖLÇÜLERİ TRANSOM CONNECTION PIECES FOR ANGLE

E50

YATAY KAYIT KESİM ÖLÇÜLERİ (R50 C 11 İLE)
TRANSOM CUTTING DIMENSIONS (WITH R50 C 11)



YATAY KAYIT KESİM ÖLÇÜLERİ (R50 C 06 İLE)
TRANSOM CUTTING DIMENSIONS (WITH R50 C 06)



MİMARİ KATALOG
ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems

E50

KAPAKLI CEPHE DETAYLARI

COVER CAP DETAILS







DIŞ
(OUTSIDE) ➤

A 3x3 grid with a central square divided into four triangles. The number 3 is in the middle-left cell.



KAPAKLI CEPHE DÜŞEY KANAT DETAYI
CURTAIN WALL VERTICAL VENT DETAIL



MİMARİ KATALOG
ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems



E50

SİLİKON CEPHE DETAYLARI



STRUCTURAL GLAZING DETAILS



SİLİKON CEPHE YATAY DETAYI
STRUCTURAL GLAZING HORIZONTAL DETAIL




SİLİKON CEPHE KÖŞE DÖNÜŞ DETAYI
STRUCTURAL GLAZING CORNER DETAIL





A 3D perspective diagram of a unit cell, represented as a rectangular prism. The front face is a grid of 3x3 small squares. A horizontal layer, consisting of the middle row of squares, is shaded with a stippled pattern. An arrow points from the label '3A' to this shaded layer.





SİLİKON CEPHE KÖŞE DÖNÜŞ DETAYI
STRUCTURAL GLAZING CORNER TURN DETAIL





SİLİKON CEPHE DÜŞEY DETAYI
STRUCTURAL GLAZING VERTICAL DETAIL





SİLİKON CEPHE YATAY DETAYI
STRUCTURAL GLAZING HORIZONTAL DETAIL





SİLİKON CEPHE YATAY DETAYI
STRUCTURAL GLAZING HORIZONTAL DETAIL





SİLİKON CEPHE DÜŞEY DETAYI
STRUCTURAL GLAZING VERTICAL DETAIL





SİLİKON CEPHE YATAY DETAYI
STRUCTURAL GLAZING HORIZONTAL DETAIL



SİLİKON CEPHE DÜŞEY DETAYI
STRUCTURAL GLAZING VERTICAL DETAIL



SİLİKON CEPHE YATAY DETAYI
STURUCTURAL GLAZING HORIZONTAL DETAIL



MİMARİ KATALOG
ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems



E50

YARI KAPAKLI DETAYLAR

SEMI-STRUCTURAL DETAILS



DÜŞEY SİLİKON YATAY KAPAKLI SİSTEM GİZLİ KANAT YATAY DETAYI
SEMI STRUCTURAL SYSTEM HIDDEN VENT HORIZONTAL DETAIL







DIŞ
(OUTSIDE) ➤






MİMARİ KATALOG
ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems

E50TT

PROFİLLER VE DETAYLAR

PROFILES AND DETAILS



TEKNİK ÖZELLİKLERİ / TECHNICAL PROPERTIES

PROFİL GENİŞLİĞİ / PROFILE WIDTH	50 mm
DİKME DERİNLİKLERİ / MULLION DEPTHS	min. 44mm - max. 209,7mm
KAYIT DERİNLİKLERİ / TRANSOM DEPTHS	min. 60mm - max. 216,3mm
PROFİL ET KALINLIĞI / PROFILE WALL THICKNESS	1,8 / 2,4 / 2,5 / 2,7 / 3 mm
MAX. CAM KALINLIĞI / MAX. GLASS THICKNESS	36mm
ISI BARIYERLERİ / THERMAL INSULATION BAR	14,8mm

KULLANIM SEÇENEKLERİ / APPLICATION ALTERNATIVES




KASETLİ CEPHE / STRUCTURAL GLAZING	•
İÇE AÇILIR ÇİFT EKSEN GİZLİ KANAT / INWARD OPENING TILT&TURN HIDDEN VENT	•

SİLİKON CEPHE ÇİFT AÇILIM PROFİLLERİ

TILT&TURN OPENING HIDDEN VENT PROFILES

E50TT

KOD / CODE	AĞIRLIK (kg/m) / WEIGHT	Jxx cm4	Jyy cm4	Wx cm3	Wy cm3	L m	
AR50V36	1,419	13,384	6,096	---	---	6	
AE50H14	1,238	---	---	---	---	6	
25 I 07	0,143	---	---	---	---	6	



Nr	L m	KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
AR50V36	A011841 25 L 20 (A002166)	29,4 mm	333 L 20
	A011842 25 L 13 (A002058)	8,7 mm	252 L 13
AE50H14	A017307 25 L 02 (A002020)	6,6 mm	182 L 02

KÖŞE TAKOZU VE CAM TABLOLARI

CORNER CLEATS AND GLASS TABLE



E50TT


PROFİL KODU (PROFILE CODE)	25 L 02	25 L 13	25 L 20	
FABRİKA KODU(FACTORY CODE)	A002020	A002058	A002166	
AĞIRLIK (WEIGHT)	4,943 kg/m	3,561 kg/m	5,620 kg/m	
ÇİZİM (DRAWING)				



Nr			KESİM ÖLÇÜSÜ CUTTING SIZE	AKS. KODU ACS. CODE
AR50V36	A011841	25 L 20 (A002166)	29,4 mm	333 L 20
	A011842	25 L 13 (A002058)	8,7 mm	252 L 13
AE50H14	A017307	25 L 02 (A002020)	6,6 mm	182 L 02



AR50V36 İÇİN /FOR AR50V36

A	B	C	D	E	F	G
CAM GLASS	DIŞ CAM KALINLIĞI OUTER GLASS THICKNESS	CAM FİTİLİ GLASS GASKET	BİNİ FİTİLİ CENTRAL GASKET	İÇ CAM FİTİLİ INNER GLASS GASKET	TIRNAK FİTİLİ GASKET	CAM FİTİLİ GLASS GASKET
24 mm	6 mm	01.02.27	01.12.22	01.02.23	01.08.20	01.03.27
25 mm	6 mm	01.02.27	01.12.22.	01.02.24	01.08.20	01.03.27
26 mm	6 mm	01.02.27	01.12.22.	01.02.25	01.08.20	01.03.27
27 mm	6 mm	01.02.27	01.12.22.	01.02.26	01.08.20	01.03.27
28 mm	6 mm	01.02.27	01.12.22.	01.02.27	01.08.20	01.03.27
29 mm	6 mm	01.02.27	01.12.22.	01.03.21	01.08.20	01.03.27
30 mm	6 mm	01.02.27	01.12.22.	01.03.22	01.08.20	01.03.27
31 mm	6 mm	01.02.27	01.12.22.	01.03.23	01.08.20	01.03.27
32 mm	6 mm	01.02.27	01.12.22.	01.03.24	01.08.20	01.03.27




























MİMARİ KATALOG
ARCHITECTURAL CATALOGUE





















Alüminyum Cephe Sistemleri
Aluminium Facade Systems















E50

















AKSESUARLAR






















ACCESSORIES















	01.02.21 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 175 gr/m Paket / Package: 85 m / 15 kg			01.03.21 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 115 gr/m Paket / Package: 130 m / 15 kg	
	01.02.22 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 170 gr/m Paket / Package: 88 m / 15 kg			01.03.22 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 93 gr/m Paket / Package: 161 m / 15 kg	
	01.02.23 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 146 gr/m Paket / Package: 102 m / 15 kg			01.03.23 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 88 gr/m Paket / Package: 170 m / 15 kg	
	01.02.24 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 139 gr/m Paket / Package: 107 m / 15 kg			01.03.24 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 81 gr/m Paket / Package: 185 m / 15 kg	
	01.02.25 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 135 gr/m Paket / Package: 111 m / 15 kg			01.03.25 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 71 gr/m Paket / Package: 211 m / 15 kg	
	01.02.26 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 130 gr/m Paket / Package: 115 m / 15 kg			01.03.26 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 75 gr/m Paket / Package: 200 m / 15 kg	
	01.02.27 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 122 gr/m Paket / Package: 122 m / 15 kg			01.03.27 CAM FİTİLİ GLAZING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 62 gr/m Paket / Package: 242 m / 15 kg	





















	01.05.01 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 84 gr/m Paket / Package: 178 m / 15 kg			01.07.16.ES DERZ FİTİLİ JOINT GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : 108 gr/m Paket / Package: 138 m / 15 kg	
	01.05.02 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 92 gr/m Paket / Package: 163 m / 15 kg			01.07.18 DERZ FİTİLİ JOINT GASKET Malzeme / Material : EPDM Ağırlık / Weight : 221 gr/m Paket / Package: 67 m / 15 kg	
	01.05.03 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 98 gr/m Paket / Package: 153 m / 15 kg		 ÖLÇEK/SCALE: 1:2	01.07.26.ES DERZ FİTİLİ GAP GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : 223 gr/m Paket / Package: 65 m / 14,5 kg	
	01.05.04 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 102 gr/m Paket / Package: 147 m / 15 kg			01.07.27.ES DERZ FİTİLİ GAP GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : 130 gr/m Paket / Package: 115 m / 15 kg	
	01.05.05 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 134 gr/m Paket / Package: 112 m / 15 kg		 7,6	01.08.21.ES KANAT FİTİLİ VENT GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : 200 gr/m Paket / Package: 75 m / 15 kg	
	01.05.06 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 107 gr/m Paket / Package: 140 m / 15 kg		 13,6	01.08.22.ES KANAT FİTİLİ VENT GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : 263 gr/m Paket / Package: 57 m / 15 kg	
	01.05.08 ORTA BASKI FİTİLİ CENTRAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 125 gr/m Paket / Package: 120 m / 15 kg		 ÖLÇEK/SCALE: 1:2	01.08.29 KASA FİTİLİ FRAME GASKET Malzeme / Material : EPDM Ağırlık / Weight : 131 gr/m Paket / Package: 114 m / 15 kg E50TT SİSTEM İÇİN.	

	01.11.12 DİŞ CAM FİTİLİ GLAZING GASKET (OUT) Malzeme / Material : EPDM Ağırlık / Weight : 90 gr/m Paket / Package: 166 m / 15 kg			01.12.28.ES KASA FİTİLİ FRAME GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone Ağırlık / Weight : — gr/m Paket / Package: 35 m / 12,9 kg	
	01.12.02 KASET BİNİ FİTİLİ ACOUSTICAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 35 gr/m Paket / Package: 428 m / 15 kg			01.14.01 BİTİŞ FİTİLİ FINISHING GASKET Malzeme / Material : EPDM Ağırlık / Weight : 30 gr/m Paket / Package: 500 m / 15 kg	
	01.12.03 KASET BİNİ FİTİLİ ACOUSTICAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 84 gr/m Paket / Package: 178 m / 15 kg			01.17.04 İÇ CAM FİTİLİ 3,6 mm INSIDE GLAZING GASKET 3,6 mm Malzeme / Material : EPDM Ağırlık / Weight : 71 gr/m Paket / Package: 210m / 15 kg	
	01.12.15.ES KASA FİTİLİ FRAME GASKET Malzeme / Material : SİLİKON UYUMLU EPDM / Silicone compatible epdm gasket Ağırlık / Weight : 190 gr/m Paket / Package: 79 m / 15 kg			01.17.05 İÇ CAM FİTİLİ 4,6 mm INSIDE GLAZING GASKET 4,6 mm Malzeme / Material : EPDM Ağırlık / Weight : 89 gr/m Paket / Package: 168m / 15 kg	
	01.12.16 KASA FİTİLİ FRAME GASKET Malzeme / Material : EPDM Ağırlık / Weight : 290 gr/m Paket / Package: 47 m / 15 kg			01.19.33 KASA ADAPTÖR FİTİLİ FRAME ADAPTER GASKET Malzeme / Material : EPDM Ağırlık / Weight : 40 gr/m Paket / Package: 375 m / 15 kg	
	01.12.23 KANAT BİNİ FİTİLİ VENT GASKET Malzeme / Material : EPDM Ağırlık / Weight : 92 gr/m Paket / Package: 163 m / 15 kg				
	01.12.27 KASET BİNİ FİTİLİ ACOUSTICAL GASKET Malzeme / Material : EPDM Ağırlık / Weight : 76 gr/m Paket / Package: 197 m / 15 kg				

	03.05.21 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.21 - 01.03.21			03.06.21 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.21 - 01.03.21
	03.05.22 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.22 - 01.03.22			03.06.22 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.22 - 01.03.22
	03.05.23 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.23 - 01.03.23			03.06.23 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.23 - 01.03.23
	03.05.24 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.24 - 01.03.24			03.06.24 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.24 - 01.03.24
	03.05.25 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.25 - 01.03.25			03.06.25 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.25 - 01.03.25
	03.05.26 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.26 - 01.03.26			03.06.26 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.26 - 01.03.26
	03.05.27 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) Malzeme / Material : EPDM 01.02.27 - 01.03.27			03.06.27 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) Malzeme / Material : EPDM 01.02.27 - 01.03.27

	03.06.08 KÖŞE FİTİLİ (SOL) CORNER GASKET (LEFT) 01.12.15 İLE 01.12.16 BİRLEŞİMİ İÇİN / FOR THE COMBINATION OF 01.12.15 AND 01.12.16 Malzeme / Material : EPDM			11.01.08 TEKLİ CAM TUTUCU SINGLE GLASS HOLDER Malzeme / Material : Zamak	
	03.06.09 KÖŞE FİTİLİ (SAĞ) CORNER GASKET (RIGHT) 01.12.15 İLE 01.12.16 BİRLEŞİMİ İÇİN / FOR THE COMBINATION OF 01.12.15 AND 01.12.16 Malzeme / Material : EPDM			11.01.09 ÇİFTLİ CAM TUTUCU DOUBLE GLASS HOLDER Malzeme / Material : Zamak	
	03.07.05 KÖŞE ENJEKSİYON FİTİLİ CORNER GASKET 01.12.23 İÇİN / FOR 01.12.23 Malzeme / Material : EPDM			11.01.17 KÖŞE İÇİN CAM TUTUCU PARÇASI GLASS HOLDER FOR CORNER Malzeme / Material : Alüminyum	
	03.07.06.ES KÖŞE ENJEKSİYON FİTİLİ CORNER GASKET 01.08.21 İÇİN / FOR 01.08.21 Malzeme / Material : SİLİKON UYUMLU EPDM / Epdm compatible with silicone			26.01.02 KÖŞE TAKOZU CORNER CLEAT E50 R 12 İÇİN / FOR E50 R 12 Malzeme / Material : PVC	
	10.04.17 KÖŞE ÇAVUŞU CORNER CLEAT 02.03.27 İÇİN / FOR 02.03.27 Malzeme / Material : SAC/ iron plate			26.01.03 PARÇA U ÇİTA PROFİLİ U PROFILE PIECE Malzeme / Material : Aluminium Band	
				02.02.05 ÇİFT TARAFI YAPIŞKANLI BANT DOUBLE SIDED ADHESIVE TAPE Malzeme / Material :Bant Kalınlık / Thickness : 1mm	

	03.01.04 SU TAHLİYE PARÇASI (ÇÖRTEN) WATER DRAINAGE PIECE Malzeme / Material : PVC				
	04.02.08 SU TAHLİYE PARÇASI KAPAĞI CAP FOR WATER DRAINAGE PIECE Malzeme / Material : PVC				
	03.01.05 TAHLİYE EK PARÇASI DISCHARGE FITTINGS Malzeme / Material : PVC				
	04.10.17 PVC KAPAK PVC CAP R50 P 06 İÇİN FOR R50 P 06				
	04.10.21 PVC KAPAK PVC CAP R50 P 32 İÇİN FOR R50 P 32				
	04.10.38 DİLASYON PROFİL KAPAĞI CAP FOR DILATATION PROFILE Malzeme / Material : PVC				
	11.02.15 CAM TAKOZU GLASS SUPPORT Malzeme / Material : PVC				

	02.01.01 PVC PROFİL PVC PROFILE Malzeme / Material : PVC			02.01.13 PVC PROFİL PVC PROFILE Malzeme / Material : PVC	
	02.01.02 PVC PROFİL PVC PROFILE Malzeme / Material : PVC			02.01.14 PVC PROFİL PVC PROFILE Malzeme / Material : PVC	
	02.01.04 PVC PROFİL PVC PROFILE Malzeme / Material : PVC			02.03.27 KASA İÇİN PVC PROFİL PVC PROFILE FOR FRAME Malzeme / Material : PVC	
	02.01.05 PVC PROFİL PVC PROFILE Malzeme / Material : PVC				
	02.01.07 PVC PROFİL PVC PROFILE Malzeme / Material : PVC				
	02.01.08 PVC PROFİL PVC PROFILE Malzeme / Material : PVC				
	02.01.09 PVC PROFİL PVC PROFILE Malzeme / Material : PVC				

CEPHE MAKASLARI / ARMS FOR CURTAIN WALL



GIESSE CEPHE MAKASLARI
GIESSE ARMS FOR CURTAIN WALL

Malzeme / Material : Paslanmaz Çelik
Stainless Steel

EN 13126-6 : 2007


GIESSE DIŞA AÇILIM MAKAS GIESSE ARM FOR TOP HUNG	MAKAS BOYU ARM LENGHT INCH MM		KANAT GENİŞLİĞİ SASH WIDTH (mm)	KANAT YÜKSEKLİĞİ SASH HEIGHT (mm)	KANAT AĞIRLIĞI SASH WEIGHT (Kg)	MAX.AÇMA DERECESİ MAX.OPENING ANGLE
07.03.14	10"	261,5	1200	700	50 kg	35°
07.03.02	12"	317,5	1200	800	60 kg	30° / 35°
07.03.03	14"	353,5	1300	1000	69,5 kg	30° / 35°
07.03.13	16"	414,5	1400	1200	88,5 kg	25° / 30°
07.03.04	18"	458,5	1400	1400	102 kg	25° / 30°
07.03.12	20"	511,5	1500	1600	135 kg	20° / 25°
07.03.15	22"	556,5	1500	1700	137 kg	20° / 25°
07.03.16	24"	602,5	1500	1800	139 kg	20° / 25°
07.03.17	28"	707,5	1500	2000	155 kg	10° / 15° / 20°
07.03.18*	26"	690	*1700	*2500	*180 kg	*7°

ÖZEL RÜZGAR YÜKÜ KOŞULLARI İÇİN SİPARİŞ ÖNCESİ BİLGİ ALINMALIDIR.
FOR SPECIAL WIND LOAD CONDITIONS TAKE ADİTIONAL INFORMATION BEFORE ORDERING.


*07.03.18 KODLU MAKAS İLAVE LİMİTLEME MAKASI İLE BİRLİKTE KULLANILMALIDIR.
07.03.18 ARM MUST BE USED WITH ADİTIONAL LASER ARM

KİLİTLEME SETLERİ / LOCKING KITS

KANAT EBATLARINA GÖRE KİLİTLEME TİPLERİ
TYPES OF LOCKING KITS FOR TOP HUNG WINDOW



		07.03.xx
		07.09.09
		07.13.06
		11.01.01
		07.09.10
		07.21.02
		07.03.19



KİLİTLEME SETLERİ TABLOSU / LOCKING KITS TABLE

KİLİTLEME TİPLERİNE GÖRE AKSESUAR SEÇİM TABLOSU
ACCESSORIES SELECTION TABLE ACCORDING TO LOCKING TYPES

TİP TYPE	MAKAS (tk) ARM (tk)	07.05.27 CEPHE KOLU HANDLE	*07.25.XX KOL BAĞLANTISI CONNECTION ROD	07.09.09 KARŞILIK STRIKER	07.13.06 PİM PAWL	11.01.01 KANAT YAN TAKOZU SUPPORT BLOCK	07.09.10 ÜST KİLİTLEME BURGLAR BOLT	07.21.02 KÖŞE DÖNME CORNER DRIVE	07.03.19 LİMİTLEME MAKASI LASER ARM
1	07.03.14	1	2	2	2	2			
2	07.03.02	1	2	2	2	2			
3	07.03.03	1	2	2	2	2	2		
4	07.03.13	1	2	2	2	2	2		
5	07.03.04	1	2	4	4	2	2	2	
6	07.03.12	1	2	4	4	2	2	2	
7	07.03.15	1	2	6	6	2	2	2	
8	07.03.16	1	2	6	6	2	2	2	
9	07.03.17	1	2	6	6	2	2	2	
10	07.03.18	1	2	8	8	2	4	2	2

*07.25.03 Giesse kol bağlantı parçası AR50V16 kodlu kanat profili ile kullanılmalıdır.
07.25.03 Giesse connection rod should be used AR50V16 vent profile.

*07.25.06 Giesse kol bağlantı parçası E50 V 04 kodlu kanat profil ile kullanılmalıdır.
07.25.06 Giesse connection rod should be used E50 V 04 vent profile.

*Giesse kol ve kilitleme aksesuarları 25 I 07 tij profili ile kullanılmalıdır.
Giesse handle and locking accessories should be used with 25 I 07 rod profile

PARALEL AÇILIM MAKASLARI / SHEAR PARALLEL EXPANSION






07.03.26

GIESSE PARALEL MAKAS (TEKLİ) 17mm
GIESSE PARALLEL ARMS (SINGLE) 17mm



07.03.27

GIESSE PARALEL MAKAS (ÇİFTLİ) 17mm
GIESSE PARALLEL MAKAS (DOUBLE) 17mm



***60 KG AĞIRLIĞINDAKİ VEYA > 1250x1250MM BÜYÜKLÜĞÜNDEKİ KANATLAR İÇİN MOTOR KULLANILMALIDIR.
FOR SASHES WEIGHING > 60 KG OR SIZED > 1250 x 1250MM IT IS REQUIRED TO USE A SASH OPENING AND CLOSING SYSTEM THAT USES MOTORS.

***GIESSE PARALEL MAKASLAR E50 V 04 VE AE50V06 KANAT PROFİLLERİ İLE KULLANILMALIDIR.
GIESSE PARALLEL ARMS SHOULD BE USED WITH E50 V 04 AND AE50V06 VENT PROFILES.

***TABLODA BELİRTİLEN ÖLÇÜLERİN DIŞINDAKİ KANATLARIN PARALEL AÇILIMA UYGUNLUĞU İÇİN MÜŞTERİ TEMSİLCİNİZ İLE İRTİBATA GEÇEBİLİRSİNİZ.
YOU CAN CONTACT YOUR CUSTOMER REPRESENTATIVE FOR CONVENIENCE OF PARALLEL OPENING OF THE VENTS, WHICH ARE NOT SPECIFIED IN THE TABLE, AS EXCEPTIONAL DIMENSIONS.


Ölçek/Scale: $\frac{1}{2}$

PENCERE MOTORLARI / WINDOW MOTORS

KOD CODE	AÇIKLAMA DESCRIPTION
07.28.05	GIESSE ZİNCİRLİ PENCERE MOTORU / GIESSE VARIA SLIM RADIO
07.28.07	GIESSE ZİNCİRLİ PENCERE MOTORU / GIESSE VARIA SLIM
07.28.08	GIESSE ZİNCİRLİ PENCERE MOTORU / GIESSE VARIA SLIM




KOD CODE	AÇIKLAMA DESCRIPTION
07.28.09	GIESSE UZAKTAN KUMANDA / GIESSE REMOTE CONTROL



Ölçek/Scale: 1:1

GIESSE KANAT AÇILIM AKSESUARLARI / GIESSE OPENING ACCESSORIES FOR TOP - HUNG WINDOW

 07.05.27 GIESSE CEPHE KOLU GIESSE HANDLE FOR CURTAIN WALL Renk / Colour : Siyah-Gri Black-Grey	 07.25.03 GIESSE KOL BAĞLANTI PARÇASI 18mm GIESSE CONNECTION ROD 18mm Malzeme / Material : Zamak
 07.13.06 GIESSE AYARLI PİM GIESSE ADJUSTABLE LOCKING PAWL Malzeme / Material : Zamak / Zamak	 07.25.06 GIESSE KOL BAĞLANTI PARÇASI 12mm GIESSE CONNECTION ROD 12mm Malzeme / Material : Zamak
 07.09.10 GIESSE ÜST KİLİTLEME GIESSE BURGLAR BOLT Malzeme / Material : Zamak / Poliamid Zamak / Polyamide	 07.09.09 GIESSE PİM KARŞILIĞI GIESSE STRIKER Malzeme / Material : Zamak / Zamak
 07.03.19 GIESSE LİMİTLEME MAKASI GIESSE LASER ARM	 07.21.02 GIESSE KÖŞE DÖNME GIESSE CORNER DRIVE Malzeme / Material : Zamak / Zamak

KANAT AÇILIM AKSESUARLARI / OPENING ACCESSORIES FOR TOP - HUNG WINDOW



07.05.23

RESCARA CEPHE KOLU
HANDLE FOR CURTAIN WALL

Renk / Colour : Beyaz-Gri-Ham
White-Grey-Pres



07.13.05

PİM
PIN

07.05.23 Kol için / For Handle 07.05.23



07.09.05

PİM KARŞILIĞI
LOCK PLATE

Malzeme / Material : Zamak




07.21.03

RESCARA KÖŞE DÖNME
RESCARA CORNER DRIVE

Malzeme / Material : Zamak / Zamak


DİĞER / OTHERS



08.01.01

SABİT ANKRAJ + PUL
FIX ANCHORAGE - ROVE


Malzeme / Material : Alüminyum / Aluminium



08.01.02

HAREKETLİ ANKRAJ + PUL
MOVE ANCHORAGE + ROVE

Malzeme / Material : Alüminyum / Aluminium






04.09.01

SABİT ANKRAJ İÇİ PLASTİĞİ
PVC FOR ANCHORAGE

Malzeme / Material : PVC

ÇİFT EKSEN MEKANİZMA MATRİSİ / TILT&TURN MECHANISM MATRIX

		SAVIO ÇİFT EKSEN MEKANİZMASI 100kg SAVIO TILT&TURN MECHANISM 100kg 									
		SAĞ / RIGHT		SOL / LEFT							
ŞEMA SCHEME	ADET NUMBER	07.34.001 KİLİTLEME SETİ (SAĞ) LOCKING SET (RIGHT)	07.34.003 KİLİTLEME SETİ (SAĞ) LOCKING SET (RIGHT)	07.34.002 KİLİTLEME SETİ (SOL) LOCKING SET (LEFT)	07.34.004 KİLİTLEME SETİ (SOL) LOCKING SET (LEFT)	07.34.005 LİMİTLEYİCİ MAKAS LIMITING ARM	07.34.006 KÖŞE AKTARMA CORNER DRIVE	07.34.007 KİLİTLEME PARÇASI LOCKING PIECE	07.34.008 AYARLI KARŞILIK ADJUSTABLE KEEPER	07.34.009 İLAVE KİLİTLEME ADDITIONAL LOCKING	07.34.010 KOL HANDLE
TİP A TYPE A	L: 500-1200 H: 600-1400	1	--	1	—	1	—	--	—	--	1
	L: 1201-1400 H: 600-1400	—	1	—	1	1	—	--	—	--	1
	L: 500-1200 H: 1401-2400	1	--	1	—	1	1	--	1	1	1
	L: 1201-1400 H: 1401-2400	—	1	—	1	1	1	--	1	1	1
	L: 1401-1700 H: 1401-2400	—	1	—	1	1	1	1	3	1	1



Ölçek/Scale: 1/3


MİMARİ KATALOG
ARCHITECTURAL CATALOGUE

Alüminyum Cephe Sistemleri
Aluminium Facade Systems



E50

İMALAT DETAYLARI
FABRICATION DETAILS


- **BİTİŞ FİTİLİ DETAYI / FINISHING GASKET DETAIL**




01.14.01
BİTİŞ FİTİLİ



- BİTİŞ FİTİLİ DETAYI / FINISHING GASKET DETAIL



• KIRLANGIÇ BAĞLANTI DETAYI / T CONNECTION DETAIL




KIRLANGIÇ BAĞLANTI TABLOSU
T CONNECTION TABLE

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE	KESİM ÖLÇÜSÜ CUTTING SIZE
 R50 C 11 A010757	E50 T 03	05.03.03	 50,9 mm
		05.03.13	 51,9 mm
		04.23.T03	 55,0 mm
	E50 T 04	05.03.04	 76,9 mm
		05.03.14	 77,8 mm
		04.23.T04	 81,0 mm
	E50 T 05	05.03.05	 96,9 mm
		05.03.15	 97,8 mm
		04.23.T05	 101,0 mm
	E50 T 06	05.03.06	 116,9 mm
		05.03.16	 115,8 mm
		04.23.T06	 120,0 mm
 R50 C 21 A011861	E50 T 09	05.03.09	 134,6 mm
		05.03.18	 135,5 mm
		04.23.T09	 137,7 mm
	E50 T 11	05.03.07	 207,2 mm
		05.09.01	 207,4 mm
		04.23.T11	 210,3 mm
	E50 T 12	05.03.08	 174,2 mm
		05.09.02	 174,4 mm
		04.23.T12	 177,3 mm


KAYIT İMALAT DETAYLARI TRANSOM FABRICATION DETAILS

E50

- KIRLANGIÇ BAĞLANTI DETAYI / T CONNECTION DETAIL




- YATAY KAYIT KERTME DETAYI / TRANSOM NOTCHING DETAIL




- KIRLANGIÇ BAĞLANTI DETAYLARI / T CONNECTION DETAILS

OPERASYON - 1





- KIRLANGIÇ BAĞLANTI DETAYI / T CONNECTION DETAIL

OPERASYON - 2




- KIRLANGIÇ BAĞLANTI DETAYI / T CONNECTION DETAIL

OPERASYON - 2



- KIRLANGIÇ BAĞLANTI DETAYI / T CONNECTION DETAIL


OPERASYON - 3




KAYIT İMALAT DETAYLARI TRANSOM FABRICATION DETAILS

E50

- U BAĞLANTI DETAYI / U CONNECTION DETAIL



U BAĞLANTI TABLOSU
U CONNECTION TABLE

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
 R50 C 06 A010026 46	E50 T 03	05.02.03		51,9 mm
		04.22.03		54,0 mm
	E50 T 04	05.02.04		77,8 mm
		04.22.04		80,0 mm
	E50 T 05	05.02.05		97,8 mm
		04.22.05		100,0 mm
	E50 T 06	05.02.06		115,8 mm
		04.22.06		120,0 mm
	E50 T 09	05.02.11		135,5 mm
		04.22.08		137,5 mm
	E50 T 10	05.02.14		150,8 mm
		04.22.07		153,0 mm
 R50 C 23 A016297 44	E50 T 13	05.02.18		16,7 mm
		04.22.12		19,0 mm
	E50 T 15	05.02.10		117,7 mm
		04.22.06		120,0 mm
	E50 T 11*	05.02.16		207,4 mm
		04.22.11		210,3 mm
	E50 T 12*	05.02.17		174,4 mm
		04.22.10		177,3 mm


U BAĞLANTI TABLOSU
U CONNECTION TABLE

	KULLANILDIĞI PROFİL USED WITH	AKSESUAR KODU ACCESSORIE CODE		KEŞİM ÖLÇÜSÜ CUTTING SIZE
 R50 C 24 A011937 45,9	E50 T 03	05.10.03		51,9 mm
		04.22.03		54,0 mm
	E50 T 04	05.10.04		77,8 mm
		04.22.04		80,0 mm
	E50 T 05	05.10.05		97,8 mm
		04.22.05		100,0 mm
	E50 T 06	05.10.06		115,8 mm
		04.22.06		120,0 mm
	E50 T 09	05.10.11		135,5 mm
		04.22.08		137,5 mm
	E50 T 10	05.10.14		150,8 mm
		04.22.07		153,0 mm
	E50 T 13	05.10.18		16,7 mm
		04.22.12		19,0 mm
	E50 T 15	05.10.10		117,7 mm
		04.22.06		120,0 mm


KAYIT İMALAT DETAYLARI TRANSOM FABRICATION DETAILS

E50



- U BAĞLANTI DETAYI / U CONNECTION DETAIL



- YATAY KAYIT KERTME DETAYI / TRANSOM NOTCHING DETAIL



- U BAĞLANTI DETAYI / U CONNECTION DETAIL




KAYIT İMALAT DETAYLARI TRANSOM FABRICATION DETAILS

E50

- U BAĞLANTI DETAYI / U CONNECTION DETAIL

OPERASYON - 1




KAYIT İMALAT DETAYLARI TRANSOM FABRICATION DETAILS


E50

- U BAĞLANTI DETAYI / U CONNECTION DETAIL

OPERASYON - 2




KÖŞE MONTAJ DETAYI




- SU TAHLİYE PARÇASI (ÇÖRTEN) / WATER DRAINAGE PIECE

OPERASYON - 1
OPERATION-1


03.01.04
WATER DRAINAGE PIECE




E50 M XX
VERTICAL PROFILE



03.01.04
WATER DRAINAGE PIECE



- OPERASYON - 2
OPERATION-2





- DİLATASYON BAĞLANTI DETAYI / DILATATION CONNECTION DETAIL

OPERASYON - 3
OPERATION-3

DİLATASYON TAKIMI
DILATATION TOOL


E50 M 09
VERTICAL PROFILE



4,8x25 YSB
(A2 PASLANMAZ)


- TAHLİYE EK PARÇASI / DISCHARGE FITTINGS

OPERASYON - 4
OPERATION-4






- DİLATASYON BAĞLANTI DETAYI / DILATATION CONNECTION DETAIL

OPERASYON - 5
OPERATION-5




ÇÖRTEN MONTAJ ŞEMASI WATER DRAINAGE PIECE INSTALLATION SCHEMA


E50




E50 YARI KAPAKLI CEPHE SİSTEMİ



DETAY - C






E50 SİLİKON CEPHE SİSTEMİ






(2) BASKI PROFİLİ MONTAJI



OPERASYON - 1







BASKI PROFİLİ MONTAJI



OPERASYON






DETAY - A





DETAY - B





11.01.09
KLİPS


4.8X18
YHB A2

E50 M XX
DÜŞEY PROFİL

The diagram illustrates the assembly of a cabinet door. It features a main vertical assembly consisting of a door panel and a vertical profile. To the left, an exploded view shows three components: a screw (labeled 4.8X18 YHB A2), a clip (labeled 11.01.09 KLİPS), and the vertical profile (labeled E50 M XX DÜŞEY PROFİL). Dashed arrows indicate the assembly sequence: the screw is inserted into the clip, and the clip is then attached to the vertical profile. The door panel is shown attached to the vertical profile.





- SİLİKON CEPHE DETAYI / STRUCTURAL GLAZING SYSTEM



İMALAT DETAYLARI FABRICATION DETAILS

E50

- CAM SIKIŞTIRMA DETAYI
Cam Tipi : 6+16+6.6.4' e göre;



11.01.09 KLİPS MAKSİMUM RÜZGAR YÜKÜ DAYANIMI 500N/ADET
EKSTREM RÜZGAR YÜKLERİNDE STATİK ANALİZ YAPILMASI TAVSİYE EDİLİR.

İMALAT DETAYLARI FABRICATION DETAILS





E50

- CAM FİTİL DETAYI



01.07.16.50S

DERZ FİTİLİ




İMALAT DETAYLARI FABRICATION DETAILS


E50

- CAM ALTI TAKOZU DETAYLARI






R50 S 01



E50 S 02




E50 S 04



- CAM İÇİ U ÇİTASI İMALAT DETAYI

26.01.03_85mm uzunluğunda bantlı olarak
parça parça kullanılır.







26.01.03





1 MM ÇİFT TARAFLI
YAPIŞKANLI BANT

A011737







- ## DÜŞEY_SİLİKON - YATAY_KAPAKLI SİSTEM DETAYLARI



CAM İÇİ U ÇİTASI İMALAT DETAYI


DÜŞEY_KAPAK - YATAY_SİLİKON SİSTEM DETAYLARI






GİZLİ KANAT İMALAT DETAYLARI HIDDEN VENT FABRICATION DETAILS

E50

- KASA DETAYI / FRAME DETAIL




• KASA MONTAJ VİDASI DETAYI / FRAME DETAIL



GİZLİ KANAT İMALAT DETAYLARI HIDDEN VENT FABRICATION DETAILS





E50

- KASA DETAYI / FRAME DETAIL




-
- Exploded view diagram of a window frame assembly. The diagram illustrates the following components and their assembly sequence:
- 02.03.27**: Points to the main frame profile.
 - 10.04.17 METAL KÖŞE ÇAVUŞU**: Points to the metal corner fastener.
 - 02.03.27**: Points to the inner frame profile.
 - 02.03.27**: Points to the outer frame profile.
 - 90,0°**: Indicates the angle of the frame assembly.

- GİZLİ KANAT DETAYI / HIDDEN VENT DETAIL



• SU TAHLİYE DETAYI / DRAINAGE DETAIL



GİZLİ KANAT İMALAT DETAYLARI HIDDEN VENT FABRICATION DETAILS


E50

• SU TAHLİYE DETAYI / DRAINAGE DETAIL




Ölçek:1/1





01.08.21
Kanat Fitili




Yatayda açılacak tahliye için fitil tırnakları kertiliyor.



Ölçek:1/4



Detay : B
Ölçek:1/2



Detay : C
Ölçek:1/2